

## GPS/GSM TRACKING DEVICE FOR CONTAINER TRACKING

LOW COST GSM SOLUTION vs SATELLITE COMMUNICATION SYSTEMS  
GSM ROAMING WORLDWIDE ASHORE COVERAGE  
NO INSTALLATION - DIRECT FASTENING TO THE CONTAINER DOOR  
EXTENDED BATTERY LIFE  
CONTINUOUS MONITORING OF CONTAINER OPENING  
RFID TAG OPTION AVAILABLE  
100% STAND-ALONE SOLUTION



### TRX-800 WILL BE AVAILABLE END OF Q3/2007


The high level of integration makes the Traxlogix TRX-800 unit a completely stand-alone system. The product can be programmed to record the entire itinerary of the container and automatically upload its memory content to the communication server. The system monitor continuously if the container doors have been opened. Product installation is reduced to nearly nothing and do not requires any tools, the mounting bracket is designed to provide a reliable fastening method between the door closing rod and the unit. The enclosure of the TRX-800 contain high-reliability Li-Ion batteries with a nominal capacity ranging from 2150 up to 10750mA. GPS performance is greatly enhanced by the uses of an high gain ceramic patch antenna, allowing the receiver to quickly find a first fix position. Optional passive RFID tag available on request.

Dimensions of tracking device  
(mounting bracket excluded):

Dia: 200mm  
Height: 28mm










PRELIMINARY

# TRAXLOGIX™

TRX-800  
PRODUCT BRIEF



## WORLD GSM COVERAGE

